

How we're making Bitbucket Cloud ready for migrating customers

Patrick Wolf, Product Manager, Atlassian
Gayatri Ramesh, Product Manager, Atlassian



Agenda

Bitbucket Cloud Enterprise

Project Settings

Project Permissions

Agenda

Bitbucket Cloud Enterprise

Project Settings

Project Permissions

Agenda

Bitbucket Cloud Enterprise

Project Settings

Project Permissions



Server to Cloud

Atlassian is moving to the Cloud and
this includes Bitbucket

Choose the repositories you'd like to migrate

The repositories you choose will be added to your migration along with their associated pull requests. You can choose to migrate all your repositories at once or select specific repositories in your projects to migrate.

Cloud destination

 bcma-eap

Search for repository or project

Q

All projects

▼

<input type="checkbox"/>	Repository Name ↕	Project ↕	Pull requests
<input type="checkbox"/>	agsoipggfdsa	Ladybug	0
<input type="checkbox"/>	bitbucket-server-snippets-plugin	JThomas	1
<input checked="" type="checkbox"/>	Buildeng Supportal	Shield	33
<input type="checkbox"/>	butterfly	Another Project	0
<input type="checkbox"/>	Butterfly 1	Another Project	0
<input type="checkbox"/>	butterfly-fork	Another Project	0
<input checked="" type="checkbox"/>	Contact Rate Tool	Shield	15

**Bitbucket Cloud
Migration
Assistant (BCMA)**

70K+

Repos migrated with BCMA

Enterprise ready



***Performance and
Scale***



***Security and
Compliance***



Administration



Data Center Escape

56% performance



Merge Diff Performance

4x performance improvements



UI Review

Refactor all pages that don't scale



Encryption at Rest

All customer data encrypted at rest and in transit

Audit Logs

Rewriting our Audit Logs to integrate with Access



Signed Commits

Validation of commit author



OpenID Connect

Deploy to AWS or any cloud provider without secrets or access-key



Shared User Management

Admin Hub and Access support



Project Settings

Available Today



Project Permissions

Coming this summer

Project Settings

A way for admins to set and control standards across multiple repositories

“

In Bitbucket Server, it's really nice to manage at the project level, some of the settings, security, and default branches...but we definitely noticed those missing in Bitbucket Cloud

“


We've got a lot of really small repositories and on the admin side it's been quite difficult to manage them individually

What we have released so far



Default Reviewers

Ensure the right people are reviewing code



Access Keys

Improve security



Branching Model

Enforce standards across repositories



Merge Strategies

Apply the same structure to all merges across a project

Repository details

User and group access

Access keys

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

PULL REQUESTS

Default reviewers

Default description

Excluded files

FEATURES






[Workspace name] / [Project name] / [Repository name] / Repository settings

Default reviewers

The following users will be added as reviewers on new pull requests by default.

Search reviewers...



User	Action
 Fran Perez Inherited from Project settings	Remove
 Jane Rotanson Inherited from Project settings	Remove
 Omar Darboe Inherited from Project settings	Remove
 Annika Rangarajan	Remove
 Jie Yan Song	Remove

Default reviewers

<

>

www.bitbucket.org

Bitbucket

Your work

Repositories

Projects

More ▾

Create ▾

Q Search

/

?

[Project name]

Project

←

Back

GENERAL SETTINGS

Project details

User and group access

Access keys

WORKFLOW

Branch permissions

Branching model

Merge strategies

Merge checks

PULL REQUESTS

Default reviewers

[Workspace name] / [Project name] / Project settings

Access keys

Add key

Use access keys to gain read-only access to this repository. Learn more about using SSH keys.

Keys	Added	Last used	Actions
CircleCI Deploy Key	2019-07-31	Never	View Delete

Access keys

<

>

www.bitbucket.org

Bitbucket

Your work

Repositories

Projects

More

Create

Q

Search

/

?

[Repository name]

←

Back

GENERAL

Repository details

User and group access

Access keys

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

PULL REQUESTS

Default reviewers

[Workspace name] / [Project name] / [Repository name] / Repository settings

Branching model

Define how you want branches to be named, and specify your development and production branches, to help us suggest source and target branches.

✓

Enable inherited settings

Development branch

Use main branch

Currently set to master

Production branch

No production branch

Branch prefixes

Define the default prefixes for new branches, to allow automated workflows and make branch types clearer.

✓

Bugfix

bugfix/

i

✓

Feature

feature/

i


✓

Hotfix

hotfix/


i

**Branching
model**




**Merge
strategies**

What's next?




Branch Restrictions

Project level branch
permission and merge checks
Coming Q2 2022



Enforced Project Settings

Project settings must be
inherited by repositories
Coming Q3-Q4 2022



Pipelines Project Settings

Coming soon

Project Permissions

A way for admins to set and control standards across multiple repositories

Project Permissions



Autonomy

Foster self-service and
autonomy



Scale

Enable Customers to manage
at scale



Security

Enable Customers to
implement security best
practices

www.bitbucket.org

Bitbucket

Your work

Repositories

Projects

More

Create

Search

/

?

Demo Repository

Back

GENERAL

Repository details

User and group access

Repository permissions

Access keys

Repository access tokens

Username aliases

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

demo workspace / Demo Project / Demo Repository / Repository settings

Add users or groups

Repository permissions

Repository permissions allow you to extend access beyond that already granted via [project permissions](#).

Search

Permissions

Repository

	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Elbow Pits</div><div>1 member</div></div>	<div>Read</div>	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Neon</div><div>3 members</div></div>	<div>Read</div>	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Kodak</div><div>5 members</div></div>	<div>Read</div>	Repository	Remove

Repository Permissions

www.bitbucket.org

Bitbucket

Your work

Repositories

Projects

More

Create

Search

/

?

Demo Repository

Back

GENERAL

Repository details

User and group access

Repository permissions

Access keys

Repository access tokens

Username aliases

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

demo workspace / Demo Project / Demo Repository / Repository settings

Add users or groups

Repository permissions

Repository permissions allow you to extend access beyond that already granted via [project permissions](#).

Search

Permissions

Repository

	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Elbow Pits</div><div>1 member</div></div>	Read	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Neon</div><div>3 members</div></div>	Read	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Kodak</div><div>5 members</div></div>	Read	Repository	Remove

Repository Permissions

Bitbucket

Your work

Repositories

Projects

More

Create

Search

/

?

Demo Repository

Back

GENERAL

Repository details

User and group access

Repository permissions

Access keys

Repository access tokens

Username aliases

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

demo workspace / Demo Project / Demo Repository / Repository settings

Repository permissions

Add users or groups

Repository permissions allow you to extend access beyond that already granted via [project permissions](#).

Search

Permissions

Project

	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Developers</div><div>2 members</div></div>	Read	Project	
<input type="checkbox"/>	<div><div></div><div>Quality</div><div>2 members</div></div>	Read	Project	
<input type="checkbox"/>	<div><div></div><div>Jim O'Grady</div><div>Jimbo</div></div>	Read	Project	

*Inherited
Permissions*

Bitbucket

Your work

Repositories

Projects

More

Create

Search

/

?

Demo Project

Back

GENERAL

Project details

Project permissions

Access keys

WORKFLOW

Branch restrictions

Branching model

Merge strategies

PULL REQUESTS

Default reviewers

demo workspace / Projects / Demo Project / Project settings

Project permissions

Add users or groups

Add users or groups and provide them the permissions they need to collaborate on code across the entire project.

Search

Permissions

	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Jim O'Grady</div><div>Jimbo</div></div>	<div>Read</div> <div></div>	Project	Remove
<input type="checkbox"/>	<div><div></div><div>Developers</div><div>2 members</div></div>	<div>Read</div> <div></div>	Project	Remove
<input type="checkbox"/>	<div><div></div><div>Quality</div><div>2 members</div></div>	<div>Read</div> <div></div>	Project	Remove

Project

Permissions

www.bitbucket.org

Bitbucket

Your work

Repositories

Projects

More

Create

Q Search

/

?

Demo Project

←

Back

GENERAL

Project details

Project permissions

Access keys

WORKFLOW

Branch restrictions

Branching model

Merge strategies

PULL REQUESTS

Default reviewers

demo workspace / Projects / Demo Project / Project settings

Project permissions

Add users or groups

Add users or groups and provide them the permissions they need to collaborate on code across the entire project.

Search

Q

Permissions

▼

<input type="checkbox"/>	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Jim O'Grady</div><div>Jimbo</div></div>	<div>Read</div> <div>▼</div>	Project	Remove
<input type="checkbox"/>	<div><div></div><div>Developers</div><div>2 members</div></div>	<div>Read</div> <div>Can view, clone, and fork repositories</div>		Remove
<input type="checkbox"/>	<div><div></div><div>Quality</div><div>2 members</div></div>	<div>Write</div> <div>Can push code, create and merge pull requests</div>		Remove
		<div>Admin</div> <div>Can manage repository settings and users, delete repositories, and also inherits all Write permissions</div>		

Project

Permissions

Bitbucket

Your work

Repositories

Projects

More

Create

Q Search

/

?

Demo Project

←

Back

GENERAL

Project details

Project permissions

Access keys

WORKFLOW

Branch restrictions

Branching model

Merge strategies

PULL REQUESTS

Default reviewers

demo workspace / Projects / Demo Project / Project settings

Project permissions

Add users or groups

Add users or groups and provide them the permissions they need to collaborate on code across the entire project.

Search

Q

Permissions

▼

<input type="checkbox"/>	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Jim O'Grady</div><div>Jimbo</div></div>	<div>Write</div> <div>▼</div>	Project	Remove
<input type="checkbox"/>	<div><div></div><div>Developers</div><div>2 members</div></div>	<div>Read</div> <div>▼</div>	Project	Remove
<input type="checkbox"/>	<div><div></div><div>Quality</div><div>2 members</div></div>	<div>Read</div> <div>▼</div>	Project	Remove

**Project
Permissions**

Bitbucket

Your work

Repositories

Projects

More

Create

Search

/

?

Demo Repository

Back

GENERAL

Repository details

User and group access

Repository permissions

Access keys

Repository access tokens

Username aliases

WORKFLOW

Branch permissions

Branching model

Merge strategies

Webhooks

Links

demo workspace / Demo Project / Demo Repository / Repository settings

Repository permissions

Add users or groups

Repository permissions allow you to extend access beyond that already granted via [project permissions](#).

Search

Permissions

Access level

	Name	Permission	Access level	Actions
<input type="checkbox"/>	<div><div></div><div>Jim O'Grady</div><div>Jimbo</div></div>	Write	Project	
<input type="checkbox"/>	<div><div></div><div>Developers</div><div>2 members</div></div>	Read	Project	
<input type="checkbox"/>	<div><div></div><div>Quality</div><div>2 members</div></div>	Read	Project	
<input type="checkbox"/>	<div><div></div><div>Elbow Pits</div><div>1 member</div></div>	Read	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Neon</div><div>3 members</div></div>	Read	Repository	Remove
<input type="checkbox"/>	<div><div></div><div>Kodak</div><div>5 members</div></div>	Read	Repository	

Repository

Permissions

Takeaways




BCMA

Migrations made simple



Enterprise Ready

Bitbucket Cloud will be ready
for all customers



Projects

Settings and Permissions will
available soon



***We want
your
feedback***



Q&A



Thank you!

Patrick Wolf, Product Manager, Atlassian
Gayatri Ramesh, Product Manager, Atlassian

